


Descaling Kit T6 Water Purifier



Dear customer,

In this booklet you will find descaling instructions for T6 water purifier.




This kit contains a descaling capsular and a warning label to prevent the use of the water purifier during the descaling process.

Important! The unit cannot be used during the descaling process for approximately 6 hours, therefore it is recommended to carry out the procedure at night.

How to use the Descaling kit?


Remove the top cover.




Remove the descaling capsule from its package.




Place a 5 liter container under the spout.



Press the PUSH button and pull the filter upwards using the extraction band.




Insert the capsule into the filter's position (in any direction) until you hear a click.




Attention: as of now and until the process is completed, do not drink water from the water purifier.


Press the EX (EXTRA HOT) button and wait until the water will boil.



Press the HOT water button and let hot water run for 1 minute.



After waiting, press the PUSH button and remove the capsule.




Press the EX (EXTRA HOT) button and wait until the water will boil.




The descaling process is completed.
Remove the warning label.
The water bar is ready for use.

Attach the included warning label on the front of the water bar and wait for at least 6 hours.



10 Place a 5 liter container under the spout, replace the filter and push until you hear a click.



12 Press the HOT water button and let hot water run for three minutes.

Remark: if there are still scale particles in the water perform this step again.



Troubleshooting

	Fault Description	Action to Take
	No water flow	 Remove the capsule and replace it until it clicks into place. If the problem persists, press the capsule while dispensing water. If the problem still persists, contact our Service Department.
2	Particles in the water after cleaning	 Perform Automatic flushing (see p.18, paragraph5d). If the problem persists, contact our Service Department.

Should you have any questions, please contact us:

